

IZOBLOK GROUP

Specific requirements for suppliers of
components, granules and raw materials for
use with the IATF 16949 standard



IZOBLOK
by BEWI

Sixth edition: March 2024
Effective date: 1 April 2024



TABLE OF CONTENTS

1. SCOPE	7
2. REFERENCES	7
3. TERMS AND DEFINITIONS	8
4. CONTEXT OF THE ORGANIZATION	10
4.1. Understanding the organization and its context	10
4.2. Understanding of the needs and expectations of interested parties	10
4.3. Determination of the scope of the quality management system	10
4.3.1. Determination of the scope of the quality management system - supplement	10
4.3.2. Customer specific requirements	10
4.4. Quality management system and its processes	11
4.4.1	11
4.4.1.1. Conformity of products and processes	11
4.4.1.2. Product safety	11
4.4.2	11
5. LEADERSHIP	11
5.1. Leadership and commitment	11
5.1.1. General provisions	11
5.1.1.1. Corporate responsibility	11
5.1.1.2. Effectiveness and efficiency of the process	11
5.1.1.3. Owners of processes	11
5.1.2. Customer orientation	11
5.2. Policy	12
5.2.1. Establishment of the quality policy	12
5.2.2. Communication of the quality policy	12
5.3. Roles, responsibilities and authorizations in the organization	12
5.3.1. Roles, responsibilities and authorizations in the organization – supplement	12
5.3.2. Responsibility and authorizations regarding requirements for products and corrective actions.....	12
6. PLANNING.....	12
6.1. Activities related to risks and opportunities	12
6.1.1	12
6.1.2	12
6.1.2.1. Risk analysis	12
6.1.2.2. Preventive actions	12
6.1.2.3. Emergency plans	12



6.2. Quality targets and planning of their achievement	13
6.2.1.....	13
6.2.2.....	13
6.2.2.1. Quality targets and planning of their achievement - supplement.....	13
6.3. Planning of changes	13
7. SUPPORT	13
7.1. Resources	13
7.1.1. General provisions	13
7.1.2. Human resources	13
7.1.3. Infrastructure	13
7.1.3.1. Planning of plant, infrastructure and equipment	13
7.1.4. Process operating environment	13
7.1.4.1. Process operating environment - supplement	13
7.1.5. Resources for monitoring and measurements.....	14
7.1.5.1. General provisions	14
7.1.5.1.1. Measurement system analysis	14
7.1.5.2. Measurement traceability	14
7.1.5.2.1. Records regarding calibration / verification	14
7.1.5.3. Laboratory requirements.....	14
7.1.5.3.1. Internal laboratory	14
7.1.5.3.2. External laboratory.....	14
7.1.6. Organization knowledge	14
7.2. Competences	14
7.2.1. Competences - supplement	14
7.2.2. Competences – workplace training.....	14
7.2.3. Competences of the internal auditor.....	14
7.2.4. Competences of the second party auditor.....	14
7.3. Awareness	15
7.3.1. Awareness - supplement.....	15
7.3.2. Motivating employees and granting authorizations	15
7.4. Communication	15
7.5. Documented information	15
7.5.1. General provisions	15
7.5.1.1. Quality management system documentation	15
7.5.2. Development and updating.....	15
7.5.3. Supervision over documented information	15
7.5.3.1.....	15
7.5.3.2.....	15
7.5.3.2.1. Keeping records.....	15
7.5.3.2.2. Technical documentation	15
8. OPERATIONAL ACTIONS	16
8.1. Planning and supervision over operational actions	16



8.1.1.	Planning and supervision over operational actions – supplement	16
8.1.2.	Confidentiality	16
8.2.	Requirements concerning products and services	16
8.2.1.	Communication with the Customer	16
8.2.1.1.	Communication with the Customer - supplement	16
8.2.2.	Determination of requirements for products and services.....	16
8.2.2.1.	Determination of requirements for products and services – supplement	16
8.2.3.	Review of requirements for products and services	16
8.2.3.1.	16
8.2.3.1.1.	Review of requirements for products and services – supplement.....	16
8.2.3.1.2.	Special characteristics determined by the Customer	16
8.2.3.1.3.	Production feasibility of the organization	17
8.2.3.2.	17
8.2.4.	Changes in requirements concerning products and services	17
8.3.	Design and development of products and services	17
8.3.1.	General provisions	17
8.3.1.1.	Design and development of products and services – supplement	17
8.3.2.	Design and development planning.....	17
8.3.2.1.	Design and development planning – supplement	17
8.3.2.2.	Skills in the field of product design	17
8.3.2.3.	Development of the product with embedded software.....	17
8.3.3.	Input data for design and development.....	17
8.3.3.1.	Input data for product design	17
8.3.3.2.	Input data for design of the manufacturing process	17
8.3.3.3.	Special characteristics.....	18
8.3.4.	Supervision over design and development	18
8.3.4.1.	Monitoring	18
8.3.4.2.	Validation of design and development	18
8.3.4.3.	Program of prototypes.....	18
8.3.4.4.	Product approval process	18
8.3.5.	Output data from design and development	18
8.3.5.1.	Output data from design and development – supplement	18
8.3.5.2.	Output data from design of the manufacturing process	18
8.3.6.	Changes in design and development	18
8.3.6.1.	Changes in design and development - supplement.....	19
8.4.	Supervision over externally supplied processes, products and services	19
8.4.1.	General provisions	19
8.4.1.1.	General provisions - supplement.....	19
8.4.1.2.	Supplier selection process	19
8.4.1.3.	Suppliers designated by the Customer ("Directed-Buy").....	19
8.4.2.	Type and scope of supervision	19
8.4.2.1.	Type and scope of supervision - supplement	19
8.4.2.2.	Legal and regulatory requirements	19
8.4.2.3.	Development of the supplier quality management system	19
8.4.2.3.1.	Software connected with a product for automotive or a product with embedded software	19



8.4.2.4.	Monitoring of the supplier.....	19
8.4.2.4.1.	Audits of the second party	20
8.4.2.5.	Development of the supplier	20
8.4.3.	Information for external suppliers	20
8.4.3.1.	Information for external suppliers - supplement	20
8.5.	Production and service delivery	20
8.5.1.	Supervision of production and service delivery	20
8.5.1.1.	Control plan	20
8.5.1.2.	Standardized work – work instructions and visual standards	20
8.5.1.3.	Verification of setting operations	21
8.5.1.4.	Verification after production stoppage	21
8.5.1.5.	Complex Total Productive Maintenance (TPM).....	21
8.5.1.6.	Management of tooling, as well as production, test and control equipment	21
8.5.1.7.	Production planning.....	21
8.5.2.	Identification and traceability	21
8.5.2.1.	Identification and traceability - supplement	21
8.5.3.	Property belonging to Customers or suppliers	21
8.5.4.	Security.....	21
8.5.4.1.	Security - supplement.....	21
8.5.5.	Post-delivery actions	21
8.5.5.1.	Feedback from the site	21
8.5.5.2.	Service contract with the Customer	21
8.5.6.	Supervision of changes.....	22
8.5.6.1.	Supervision of changes - supplement	22
8.5.6.2.	Temporary changes in the supervision of the process	22
8.6.	Release of products and services	22
8.6.1.	Release of products and service - supplement	22
8.6.2.	Dimensional control and tests of functionality	22
8.6.3.	Visual aspects	22
8.6.4.	Verification and acceptance of compliance of products and services provided by external suppliers	22
8.6.5.	Compliance with legal and regulatory requirements.....	22
8.6.6.	Acceptance criteria.....	22
8.7.	Supervision of incompatible outputs	23
8.7.1.	23
8.7.1.1.	Consent of the Customer to the waiver.....	23
8.7.1.2.	Supervision over a non-conforming product – the process specified by the Customer.....	23
8.7.1.3.	Supervision over a product with questionable status	23
8.7.1.4.	Supervision over a processed product.....	23
8.7.1.5.	Supervision over a repaired product	23
8.7.1.6.	Customer notification	23
8.7.1.7.	Handling of a non-conforming product	23
8.7.2.	23
9.	EVALUATION OF EFFECTS	23
9.1.	Monitoring, measurement, analysis and assessment	23



9.1.1.	General provisions	23
9.1.1.1.	Monitoring and measurement of manufacturing processes	23
9.1.1.2.	Determination of statistical tools	24
9.1.1.3.	Application of statistical concepts	24
9.1.2.	Customer satisfaction.....	24
9.1.2.1.	Customer satisfaction - supplement	24
9.1.3.	Analysis and evaluation.....	24
9.1.3.1.	Prioritization	24
9.2.	Internal audit	24
9.2.1.	24
9.2.2.	24
9.2.2.1.	Program of internal audits.....	24
9.2.2.2.	Audit of the quality management system	24
9.2.2.3.	Audit of the manufacturing process	24
9.2.2.4.	Product audit	25
9.3.	Management review	25
9.3.1.	General provisions	25
9.3.1.1.	Management review - supplement	25
9.3.2.	Input data to the management review	25
9.3.2.1.	Input data to the management review – supplement.....	25
9.3.3.	Output data from the management review.....	25
9.3.3.1.	Output data from the management review – supplement	25
10.	IMPROVEMENT	25
10.1.	General provisions	25
10.2.	Non-conformities and corrective actions	25
10.2.1.	25
10.2.2.	25
10.2.3.	Troubleshooting	25
10.2.4.	Protection against errors.....	26
10.2.5.	Warranty management systems	26
10.2.6.	Customer complaints and analysis of market returns	28
10.3.	Continuous improvement	28
10.3.1.	Continuous improvement - supplement	28
REVISION TABLE.....	29



1. SCOPE

**This document concerns external suppliers of products, processes and services for the automotive industry.

This includes products and services that are affected by OEM Customer requirements such as, among others, manufacturing parts, sorting, rework, service packages, logistics service providers and calibration services (commonly referred to as "indirect suppliers"). It should be noted that distributors, who do not add any production value, must comply with sections 4.3 and 8.2.1 presented in this document.

Point 5.1.1.1, Corporate responsibility applies to all IZOBLOK suppliers.

The current version of IATF 16949 and ISO 9001, general conditions of IZOBLOK and this document define the basic quality system and commercial requirements for IZOBLOK. The requirements apply to the Supplier's entire production value stream, including processes of sub-suppliers. Suppliers are responsible for cascading all IZOBLOK requirements in the whole supply chain. This document contains detailed IZOBLOK requirements, including requirements that supplement the current version of IATF 16949 and the current version of ISO 9001.

English language version of this document is the official version for registration purposes by third parties. Any translations of this document are provided for information purposes only.

2. REFERENCES

The following reference documents are necessary to develop a quality system that meets the IZOBLOK standards.

Therefore, the supplier should have an up-to-date version of the following documents:

- Production Part Approval Process, PPAP or PPF according to VDA 2
- Statistical Process Control (SPC)
- Failure Mode and Effects Analysis (FMEA) – analysis of types and effects of possible errors
- Advanced Product Quality Planning (APQP) or VDA RGA
- Measurement System Analysis (MSA) or according to VDA 5
- Minimum Automotive Quality Management System Requirements for Sub-Tier Suppliers (MAQMSR)

The latest version of the above-mentioned reference documents is valid, unless IZOBLOK will define otherwise. Copies of all reference documents, apart from document specific to IZOBLOK, are available in



AIAG at the following address <http://www.iatfglobaloversight.org/iatfpublications> or International Automotive Task Force at <http://www.iatfglobaloversight.org/iatfpublications>.

3. TERMS AND DEFINITIONS

APV – Annual Purchase Value

Verification of computing power – verification methodology aimed at demonstrating that the supplier can meet the requirements concerning the planned quantity specified in the request for quotation (RFQ).

Carry-Over Part – a part that is currently acquired and approved by the PPAP documentation. This part will be used in the customers new program for additional volume.

Direct supplier – producers of raw materials, production or service parts and other finishing services used in the creation of the final product that is sent to IZOBLOK customers. These materials, parts or services are used to meet the requirements of IZOBLOK product drawings, material specification or purchase specification.

DUNS® Number – a nine-digit number assigned and maintained in order to identify unique business locations. DUNS numbers are assigned worldwide and they include American, Canadian and international organizations.

Family parts – groups of parts processed on the same production line with the use of the same inspection plan, PFMEA and process equipment. The parts differ only in the value of an end element. PPAP for the “family” is validated through the use of extreme values of the “family” specification in order to define the “family” boundary.

ELV (end-of-life vehicles) – each obtained component / raw material must meet the requirements of the Directive 2000/53/EC – “ELV Directive”.

REACH – regulation of the European Union adopted in order to improve the protection of human health and the environment against the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry.

Conflict Minerals – a supplier’s declaration that is related to raw materials or minerals, which originate from a specific part of the world, where the conflict occurs and affects the extraction and trade of these material, which are not used in the supplied products.

FTQ - First Time Quality – FTQ is defined as a measure of the number of items rejected in the production processes versus the total number of attempts. FTQ can be measured at any stage of the production



process, where parts are rejected (without normal parts for setting and control). FTQ is reported as defective parts per million (PPM).

PD – Purchasing Department – IZOBLOK department, which is obliged to purchase raw materials, components and services all around the world. PD is also responsible for ensuring the quality of delivered parts, materials and services to suppliers, including suppliers targeted at customers.

MCA – Manufacturing Capability Assessment – an assessment that helps to determine whether the production location can successfully produce component parts that meet the requirements of IZOBLOK. MCA helps in identification of gaps in the production process and required action that will eliminate or minimize these gaps.

Problem Case – a document that tracks problems with efficiency among suppliers. It affects the supplier scoreboard.

PSW (part submission warrant)/ EMPB - PPAP / PPF documentation summary form.

R&R - Reproducibility and Repeatability – a statistical tool that measures the amount of variation in a measurement system resulting from the measuring device and people making the measurement.

Subcontractor – suppliers of raw materials, production or service parts or other finishing services in the direct supplier's value stream.

QE – Quality Engineer – an IZOBLOK engineer, who is responsible for the management of current issues of production quality and continuous improvement.

SQE – Supply Quality Engineer – an IZOBLOK engineer, who is responsible for the management of current issues regarding the quality of supplies of components and raw materials, as well as continuous improvement of suppliers.

8D process – a process that solves problems in a methodical and analytical way. It identifies initial causes in order to eliminate the source(s) of the problem.

8D report – an eight-step document that describes the problem, adopted actions and corrective activities.

Initial process testing (process capability) – it is performed in order to measure the efficiency of a new or changed process, related to internal or customer requirements on the basis of a rational sampling plan in the course of production. IZOBLOK accepts a Cpk value at the level of 1.67 – for a serial/long-term process.



MAQMSR (Minimum Automotive Quality Management System Requirements) – minimum requirements for the quality management system in the automotive industry. It is possible to supplement ISO 9001 certification in order to prepare the IATF 16949 certification.

4. CONTEXT OF THE ORGANIZATION

4.1. Understanding the organization and its context

No additional IZOBLOK's requirements for this point.

4.2. Understanding of the needs and expectations of interested parties

No additional IZOBLOK's requirements for this point.

4.3. Determination of the scope of the quality management system

The supplier, who deliver to IZOBLOK, should have a Quality Management System certified by a third party in terms of compliance with ISO 9001 or/and IATF 16949 (it is also allowed to supplement the requirements of ISO 9001 with MAQMRS).

If the supplier does not have such a certificate, and deliveries apply to raw materials, granules or other ingredients contained in products delivered by IZOBLOK to its customer, the supplier rating is automatically lowered and there is increased supervision over the suppliers. Material suppliers are responsible for the quality of delivered materials/components.

IZOBLOK has the ISO 14001 and ISO 45001 certificates. It strives to continuously optimize its processes. IZOBLOK recommends certification, training and self-improvement of suppliers in the scope of the above standards.

4.3.1. Determination of the scope of the quality management system - supplement

No additional IZOBLOK's requirements for this point.

4.3.2. Customer specific requirements

Customer specific requirements will be assessed and taken into account in the field of the organization's Quality Management System. The supplier is obliged to comply with all specific OEM requirements determined in the International Automotive Task Force network: <http://www.iatfglobaloversight.org/oem-requirements/customer-specific-requirements/> If unknown, the supplier is responsible for requesting OEM information from the responsible purchaser / SQE / SQA.



4.4. Quality management system and its processes

All raw materials, granules and components delivered to IZOBLOK should comply with EU requirements (ELV Directive, REACH, Conflict Minerals) concerning the use of proprietary materials and materials with limited use.

4.4.1.

No additional IZOBLOK's requirements for this point.

4.4.1.1.Conformity of products and processes

No additional IZOBLOK's requirements for this point.

4.4.1.2.Product safety

No additional IZOBLOK's requirements for this point.

4.4.2.

No additional IZOBLOK's requirements for this point.

5. LEADERSHIP

5.1. Leadership and commitment

No additional IZOBLOK's requirements for this point.

5.1.1. General provisions

No additional IZOBLOK's requirements for this point.

5.1.1.1.Corporate responsibility

The supplier must familiarize himself with the requirements concerning the social responsibility for suppliers and supplier code of conduct available at www.izoblok.pl

5.1.1.2.Effectiveness and efficiency of the process

No additional IZOBLOK's requirements for this point.

5.1.1.3.Owners of processes

No additional IZOBLOK's requirements for this point.

5.1.2. Customer orientation

No additional IZOBLOK's requirements for this point.



5.2. Policy

5.2.1. Establishment of the quality policy

No additional IZOBLOK's requirements for this point.

5.2.2. Communication of the quality policy

No additional IZOBLOK's requirements for this point.

5.3. Roles, responsibilities and authorizations in the organization

No additional IZOBLOK's requirements for this point.

5.3.1. Roles, responsibilities and authorizations in the organization – supplement

No additional IZOBLOK's requirements for this point.

5.3.2. Responsibility and authorizations regarding requirements for products and corrective actions

No additional IZOBLOK's requirements for this point.

6. PLANNING

6.1. Activities related to risks and opportunities

6.1.1.

No additional IZOBLOK's requirements for this point.

6.1.2.

No additional IZOBLOK's requirements for this point.

6.1.2.1. Risk analysis

No additional IZOBLOK's requirements for this point.

6.1.2.2. Preventive actions

No additional IZOBLOK's requirements for this point.

6.1.2.3. Emergency plans

The supplier is obliged to have an emergency plan (in accordance with the IZOBLOK's requirements), which gives instruction in the event of production stoppage. The supplier is obliged to notify IZOBLOK about the failure and define corrective actions taken in order to ensure the product's delivery – within 24 hours from the moment of the occurrence of problems. Production stoppages may include (but they are not limited to) natural disasters, political conflicts, wars, capacity problems, quality issues, employee



strikes, planned stoppages or other events that prevent the realization of certain performance volumes or execution/sending of any APQP event or task that would affect the run of the program or its time (e.g. R@R or PPAP). The supplier is obliged to inform IZOBLOK about the recovery plan. Moreover, the supplier should take actions aimed at minimization of its impact on the production of IZOBLOK. The supplier will provide IZOBLOK with his emergency plans (on demand).

6.2. Quality targets and planning of their achievement

6.2.1.

No additional IZOBLOK's requirements for this point.

6.2.2.

No additional IZOBLOK's requirements for this point.

6.2.2.1. Quality targets and planning of their achievement - supplement

No additional IZOBLOK's requirements for this point.

6.3. Planning of changes

No additional IZOBLOK's requirements for this point.

7. SUPPORT

7.1. Resources

7.1.1. General provisions

No additional IZOBLOK's requirements for this point.

7.1.2. Human resources

No additional IZOBLOK's requirements for this point.

7.1.3. Infrastructure

No additional IZOBLOK's requirements for this point.

7.1.3.1. Planning of plant, infrastructure and equipment

No additional IZOBLOK's requirements for this point.

7.1.4. Process operating environment

No additional IZOBLOK's requirements for this point.

7.1.4.1. Process operating environment - supplement

No additional IZOBLOK's requirements for this point.



7.1.5. Resources for monitoring and measurements

No additional IZOBLOK's requirements for this point.

7.1.5.1. General provisions

No additional IZOBLOK's requirements for this point.

7.1.5.1.1. Measurement system analysis

IZOBLOK requires MSA according to AIAG or VDA 5.

7.1.5.2. Measurement traceability

No additional IZOBLOK's requirements for this point.

7.1.5.2.1. Records regarding calibration / verification

No additional IZOBLOK's requirements for this point.

7.1.5.3. Laboratory requirements

No additional IZOBLOK's requirements for this point.

7.1.5.3.1. Internal laboratory

No additional IZOBLOK's requirements for this point.

7.1.5.3.2. External laboratory

No additional IZOBLOK's requirements for this point.

7.1.6. Organization knowledge

No additional IZOBLOK's requirements for this point.

7.2. Competences

No additional IZOBLOK's requirements for this point.

7.2.1. Competences - supplement

No additional IZOBLOK's requirements for this point.

7.2.2. Competences – workplace training

No additional IZOBLOK's requirements for this point.

7.2.3. Competences of the internal auditor

No additional IZOBLOK's requirements for this point.

7.2.4. Competences of the second party auditor

No additional IZOBLOK's requirements for this point.



7.3. Awareness

No additional IZOBLOK's requirements for this point.

7.3.1. Awareness - supplement

No additional IZOBLOK's requirements for this point.

7.3.2. Motivating employees and granting authorizations

No additional IZOBLOK's requirements for this point.

7.4. Communication

No additional IZOBLOK's requirements for this point.

7.5. Documented information

7.5.1. General provisions

No additional IZOBLOK's requirements for this point.

7.5.1.1. Quality management system documentation

No additional IZOBLOK's requirements for this point.

7.5.2. Development and updating

No additional IZOBLOK's requirements for this point.

7.5.3. Supervision over documented information

No additional IZOBLOK's requirements for this point.

7.5.3.1.

No additional IZOBLOK's requirements for this point.

7.5.3.2.

No additional IZOBLOK's requirements for this point.

7.5.3.2.1. Keeping records

No additional IZOBLOK's requirements for this point.

7.5.3.2.2. Technical documentation

No additional IZOBLOK's requirements for this point.



8. OPERATIONAL ACTIONS

8.1. Planning and supervision over operational actions

8.1.1. Planning and supervision over operational actions – supplement
APQP according to IAIG or VDA RGA.

Suppliers are obliged to meet the deadlines resulting from APQP or VDA RGA, dates of changes and order timeliness.

8.1.2. Confidentiality

Suppliers are obliged to maintain the confidentiality of IZOBLOK products, as well as products and information of entities created in accordance with the IZOBLOK's contract documentation.

8.2. Requirements concerning products and services

8.2.1. Communication with the Customer

No additional IZOBLOK's requirements for this point.

8.2.1.1. Communication with the Customer - supplement

No additional IZOBLOK's requirements for this point.

8.2.2. Determination of requirements for products and services

No additional IZOBLOK's requirements for this point.

8.2.2.1. Determination of requirements for products and services – supplement

No additional IZOBLOK's requirements for this point.

8.2.3. Review of requirements for products and services

8.2.3.1.

No additional IZOBLOK's requirements for this point.

8.2.3.1.1. Review of requirements for products and services – supplement

No additional IZOBLOK's requirements for this point

8.2.3.1.2. Special characteristics determined by the Customer

The supplier shall use all specific symbols defined by IZOBLOK in control plans, drawings and FMEA. SQE will notify the Supplier about adequate requirements (including VDA 1).



8.2.3.1.3. Production feasibility of the organization

Suppliers conduct production feasibility reviews and performance tests. The capacity analysis includes the identification of capacity limitations and risk assessment for IZOBLOK by the supplier. The capacity analysis is required as a part of the PPAP documentation. The full capacity analysis should be arranged with the Supplier and his sub-supplier – no later than on the day of the realization.

All suppliers should have appropriate process capacity with an additional safety margin of 15% - in relation to the contracted annual demand. If necessary, the seller should provide the purchasing department of IZOBLOK S.A. information about the current process capacity.

8.2.3.2.

No additional IZOBLOK's requirements for this point

8.2.4. Changes in requirements concerning products and services

No additional IZOBLOK's requirements for this point

8.3. Design and development of products and services

8.3.1. General provisions

8.3.1.1. Design and development of products and services – supplement

No additional IZOBLOK's requirements for this point

8.3.2. Design and development planning

8.3.2.1. Design and development planning – supplement

The supplier will prepare FMEA and a control plan for all parts delivered to IZOBLOK. If the supplier is responsible for the design, he should prepare FMEA. FMEA should be prepared in accordance with the guidelines presented in FMEA Handbook – ed. 1 2019, AIAG + VDA.

8.3.2.2. Skills in the field of product design

No additional IZOBLOK's requirements for this point

8.3.2.3. Development of the product with embedded software

No additional IZOBLOK's requirements for this point

8.3.3. Input data for design and development

8.3.3.1. Input data for product design

No additional IZOBLOK's requirements for this point

8.3.3.2. Input data for design of the manufacturing process

No additional IZOBLOK's requirements for this point



8.3.3.3.Special characteristics

Reference point - 8.2.3.1.2

8.3.4. Supervision over design and development

No additional IZOBLOK's requirements for this point

8.3.4.1.Monitoring

No additional IZOBLOK's requirements for this point

8.3.4.2.Validation of design and development

No additional IZOBLOK's requirements for this point

8.3.4.3.Program of prototypes

The supplier is obliged to deliver prototype parts that meet geometric, quality, quantity and price requirements within the determined time. In the case of acceptance of prototype parts that do not meet the determined requirements, the supplier is obliged to repair or replace these parts immediately and cover all related costs.

8.3.4.4.Product approval process

It is acceptable to submit the documentation for approval with the use of a methodology in line with AIAG (PPAP) or VDA 2 (PPF). The supplier is obliged to complete the documentation in accordance with the requirements of the final OEM customer and will follow the current versions of the AIAG Part Approval Process (PPAP) or VDA 2 (PPF) instructions – the levels of documentation submitted above are Level 3 for PPAP and Level 3 for PPF. (In exceptional cases, the levels will be agreed between the supplier and IZOBLOK S.A.). The delivery of IZOBLOK raw materials and components used in serial production is not accepted without the prior receipt of a PSW (Part Submission Warrant) or an equivalent document required by the end user (approved by the Purchasing Department).

8.3.5. Output data from design and development

No additional IZOBLOK's requirements for this point

8.3.5.1.Output data from design and development – supplement

No additional IZOBLOK's requirements for this point

8.3.5.2.Output data from design of the manufacturing process

No additional IZOBLOK's requirements for this point

8.3.6. Changes in design and development

No additional IZOBLOK's requirements for this point



8.3.6.1.Changes in design and development - supplement

No additional IZOBLOK's requirements for this point

8.4. Supervision over externally supplied processes, products and services

8.4.1. General provisions

No additional IZOBLOK's requirements for this point

8.4.1.1.General provisions - supplement

No additional IZOBLOK's requirements for this point

8.4.1.2.Supplier selection process

The supplier is responsible for the quality of the delivered products and the quality of products delivered by sub-suppliers. The supplier shall conduct the supplier selection process and its evaluation – taking into account the production capacity of $\pm 15\%$, and (if necessary) present the obtained results to the customer.

8.4.1.3.Suppliers designated by the Customer ('Directed-Buy')

No additional IZOBLOK's requirements for this point

8.4.2. Type and scope of supervision

No additional IZOBLOK's requirements for this point

8.4.2.1.Type and scope of supervision - supplement

No additional IZOBLOK's requirements for this point

8.4.2.2.Legal and regulatory requirements

Suppliers will ensure that the products delivered to IZOBLOK meet all legal requirements applicable in the region of use (ELV, REACH, Conflict Minerals). The supplier will send to the International Material Data System (IMDS) data regarding chemical composition of his products. The supplier is responsible for the data transmitted in the IMDS – related to the products of his own sub-suppliers.

8.4.2.3.Development of the supplier quality management system

No additional IZOBLOK's requirements for this point

8.4.2.3.1. Software connected with a product for automotive or a product with embedded software

No additional IZOBLOK's requirements for this point

8.4.2.4.Monitoring of the supplier

The supplier is obliged to monitor his sub-suppliers.



All costs of delayed shipments (caused by a delay from the supplier and his sub-suppliers and defective non-conforming products) will be transferred to the supplier.

8.4.2.4.1. Audits of the second party

IZOBLOK reserves the right to carry out an audit according to VDA 6.3 at the supplier's location, where the purchased material / component is products, at a time previously agreed with suppliers.

8.4.2.5. Development of the supplier

No additional IZOBLOK's requirements for this point

8.4.3. Information for external suppliers

No additional IZOBLOK's requirements for this point

8.4.3.1. Information for external suppliers - supplement

No additional IZOBLOK's requirements for this point

8.5. Production and service delivery

8.5.1. Supervision of production and service delivery

- For each new batch of delivered raw material – a document confirming the compliance of the batch of material – material certificate must be attached to the delivery.
- For each batch of delivered components – a document confirming the compliance of the batch of products – the quality certificate must be attached to the delivery.

IZOBLOK requires deliveries on time (100%) and in accordance with the order.

8.5.1.1. Control plan

All operations in this process must be taken into account when approving the PPAP documentation. They should be presented in the flowchart, control plan and PFMEA. The control plan should include (at least):

- Equipment used for control.
- Methods for checking special characteristics determined in PFMEA.
- Other additional information defined in PFMEA.
- Course of actions in the case of non-compliance (response plan).
- References to work instructions in operations that affect the product's compliance.
- The control plan should be reviewed and updated (if necessary).

Suppliers are required to follow the current FMEA manual FMEA should be reviewed and (if necessary) updated each time after submitting the complaint.

8.5.1.2. Standardized work – work instructions and visual standards

No additional IZOBLOK's requirements for this point



8.5.1.3.Verification of setting operations

No additional IZOBLOK's requirements for this point

8.5.1.4.Verification after production stoppage

No additional IZOBLOK's requirements for this point

8.5.1.5.Complex Total Productive Maintenance (TPM)

No additional IZOBLOK's requirements for this point

8.5.1.6.Management of tooling, as well as production, test and control equipment

No additional IZOBLOK's requirements for this point

8.5.1.7.Production planning

No additional IZOBLOK's requirements for this point

8.5.2. Identification and traceability

IZOBLOK requires that each purchased product should be identified in accordance with the requirements for a given product. This applies to both the adequate labeling of parts and the use of labels (according to the VDA standard or other, previously approved with the IZOBLOK S.A. purchasing department) for each supplied container.

8.5.2.1.Identification and traceability - supplement

No additional IZOBLOK's requirements for this point

8.5.3. Property belonging to Customers or suppliers

No additional IZOBLOK's requirements for this point

8.5.4. Security

No additional IZOBLOK's requirements for this point

8.5.4.1.Security - supplement

No additional IZOBLOK's requirements for this point

8.5.5. Post-delivery actions

No additional IZOBLOK's requirements for this point

8.5.5.1.Feedback from the site

No additional IZOBLOK's requirements for this point

8.5.5.2.Service contract with the Customer

No additional IZOBLOK's requirements for this point



8.5.6. Supervision of changes

No additional IZOBLOK's requirements for this point

8.5.6.1. Supervision of changes - supplement

It is forbidden to introduce any changes to the process / product without a written consent of the personnel of the IZOBLOK's quality/purchasing department. The change means the following action:

- material,
- subcontractor,
- location of the production site,
- other changes defined in the PPAP documentation, but not limited to the above-mentioned changes (according to the matrix – VDA 2).

8.5.6.2. Temporary changes in the supervision of the process

No additional IZOBLOK's requirements for this point

8.6. Release of products and services

No additional IZOBLOK's requirements for this point

8.6.1. Release of products and service - supplement

No additional IZOBLOK's requirements for this point

8.6.2. Dimensional control and tests of functionality

No additional IZOBLOK's requirements for this point

8.6.3. Visual aspects

No additional IZOBLOK's requirements for this point

8.6.4. Verification and acceptance of compliance of products and services provided by external suppliers

No additional IZOBLOK's requirements for this point

8.6.5. Compliance with legal and regulatory requirements

No additional IZOBLOK's requirements for this point

8.6.6. Acceptance criteria

No additional IZOBLOK's requirements for this point



8.7. Supervision of incompatible outputs

8.7.1.

8.7.1.1. Consent of the Customer to the waiver

Products showing deviations from the condition approved by IZOBLOK may be sent to the Customer only after receiving prior information and a written confirmation/ e-mail message by the Purchasing / Quality Department. Such products should be clearly marked for easy identification.

8.7.1.2. Supervision over a non-conforming product – the process specified by the Customer

No additional IZOBLOK's requirements for this point

8.7.1.3. Supervision over a product with questionable status

No additional IZOBLOK's requirements for this point

8.7.1.4. Supervision over a processed product

No additional IZOBLOK's requirements for this point

8.7.1.5. Supervision over a repaired product

No additional IZOBLOK's requirements for this point

8.7.1.6. Customer notification

No additional IZOBLOK's requirements for this point

8.7.1.7. Handling of a non-conforming product

The requirements are described in point 8.7.1.2.

8.7.2.

No additional IZOBLOK's requirements for this point

9. EVALUATION OF EFFECTS

9.1. Monitoring, measurement, analysis and assessment

9.1.1. General provisions

No additional IZOBLOK's requirements for this point

9.1.1.1. Monitoring and measurement of manufacturing processes

Suppliers are obliged to maintain the process capability according to the end customers requirements (OEM).



9.1.1.2.Determination of statistical tools

Suppliers are obliged to keep records of measuring equipment, including:

- Equipment identification number along with the standard used for checking / calibration,
- Changes, including technical changes,
- Mode of operation – in the case of incorrect readings.

The supplier is obliged to follow the current MSA instructions.

9.1.1.3.Application of statistical concepts

No additional IZOBLOK's requirements for this point

9.1.2. Customer satisfaction

No additional IZOBLOK's requirements for this point

9.1.2.1.Customer satisfaction - supplement

No additional IZOBLOK's requirements for this point

9.1.3. Analysis and evaluation

No additional IZOBLOK's requirements for this point

9.1.3.1.Prioritization

No additional IZOBLOK's requirements for this point

9.2. Internal audit

No additional IZOBLOK's requirements for this point

9.2.1.

No additional IZOBLOK's requirements for this point

9.2.2.

No additional IZOBLOK's requirements for this point

9.2.2.1.Program of internal audits

No additional IZOBLOK's requirements for this point

9.2.2.2.Audit of the quality management system

No additional IZOBLOK's requirements for this point

9.2.2.3.Audit of the manufacturing process

IZOBLOK may require an audit of the production process demanded by the customer, e.g. modular audits, CQI audits.



9.2.2.4. Product audit

No additional IZOBLOK's requirements for this point

9.3. Management review

9.3.1. General provisions

No additional IZOBLOK's requirements for this point

9.3.1.1. Management review - supplement

No additional IZOBLOK's requirements for this point

9.3.2. Input data to the management review

No additional IZOBLOK's requirements for this point

9.3.2.1. Input data to the management review – supplement

No additional IZOBLOK's requirements for this point

9.3.3. Output data from the management review

No additional IZOBLOK's requirements for this point

9.3.3.1. Output data from the management review – supplement

No additional IZOBLOK's requirements for this point

10. IMPROVEMENT

10.1. General provisions

No additional IZOBLOK's requirements for this point

10.2. Non-conformities and corrective actions

No additional IZOBLOK's requirements for this point

10.2.1.

No additional IZOBLOK's requirements for this point

10.2.2.

No additional IZOBLOK's requirements for this point

10.2.3. Troubleshooting

IZOBLOK requires that Suppliers should have appropriate resources and competences in order to solve problems in a proper way.



Reaction to the problem: Supplier will monitor and respond to all problematic cases presented by IZOBLOK. An initial problem response in the form of the 8D report is required within 24 hours from the receipt of the notification / complaint. The 8D report (containing root cause analysis, performed actions and implemented actions) should be prepared within 15 calendar days. In the case of an issue related to special characteristics, implementation of root cause analysis, corrective action, and implementation of actions is required within 7 calendar days. Until corrective actions are fully implemented and validated, 100% inspection of each delivery is required.

The closure of the 8D report (with the verification of implemented corrective actions) is required within 30 days from the date of submission of the problem case.

The 8D report and other quality documentation related to the complaint is required in Polish for Polish-speaking suppliers and/or in English for foreign suppliers.

All costs connected with quality and logistics complaints (if they are caused by the fault of the suppliers) will be assessed on the basis of Table 1 and directed to suppliers.

10.2.4. Protection against errors

IZOBLOK SQE may conduct an additional review of quality documents in order to determine whether the controls are appropriate. As a result of this review, additional protections against errors may be required.

10.2.5. Warranty management systems

IZOBLOK recommends the use of VDA Field Failure Analysis as one of the methods for the warranty management.



Table 1:

Type of cost	Unit reference cost	Comment
Administrative costs	300 €	This amount includes the following management actions: <ul style="list-style-type: none"> ▪ Time for initial analysis ▪ Time for the preparation of technical documentation in order to clarify the problem ▪ Preparation of the delivery ▪ FAR notification ▪ Monitoring of sellers ▪ 8D analysis report ▪ Evaluation of the effectiveness of corrective actions
Labor costs connected with sorting	60 €/h for each operator	The value results from the cost estimate
Labor costs connected with the reconstruction of the IZOBLOK line	60 €/h for each operator	
Labor costs connected with the management of non-compliant batches, parts in stock	60 €/h for each operator	
Scrapping of non-reusable parts		The cost of a part and its disposal may vary depending on the type of IZOBLOK's product.
Stoppage of IZOBLOK production lines	Not less than 100 €/h	The cost may vary depending on the type of line, products and purchaser's plant – depending on the impact on the end customer.
Special transport to the end customer		The cost may vary for each special transport.
Replacement of parts (in 0 km)		The cost imposed by the end customer connected with the management of the replacement of defective parts that were found. Customers line. The cost may vary depending on the type of line and the end customers plant.
Stoppage of the end customers production line		The cost may vary depending on the type of line, products and the end customers plant.
Service campaign and campaign concerning the withdrawal of products from sale		Actions taken by the end customer / purchaser or the approved third party in order to solve a critical quality problem concerning all potentially affected parts: <ul style="list-style-type: none"> ▪ in a vehicle – before delivery to a dealer: service campaign ▪ in the field: campaign concerning the withdrawal of products from sale ▪ The cost may vary depending on the customer and the purchaser's product
Special packing for shipping parts		The cost may vary for each transport.
Lack of appropriate shipping label	150 € for each package	It covers every single delivery without appropriate identification.



Lack of shipping documentation	150 €	It covers every single delivery without appropriate identification.
Lack of correct labeling of the delivery – cartons or containers	50 € for each package	It applies to bins, containers or cartons that are not cleaned of old shipping labels.
Cost of shipping parts for analysis	The Seller is usually responsible for returning the part for analysis and charging the Purchaser for shipping costs. In all other cases, the Purchaser has the right to charge the Seller for shipping costs, which may vary depending on the type of product and transport conditions.	

10.2.6. Customer complaints and analysis of market returns

The requirements are described in point 8.7.1.2

10.3. Continuous improvement

IZOBLOK requires suppliers to implement the continuous quality improvement process. It is required to maintain indicators for:

- timely deliveries to the PD required in 100%, in accordance with the following criteria:

<i>Supplier Type</i>	<i>Range*</i>	<i>Target</i>
Components supplier	≤ 3 days	100%
Suppliers of EPP raw material and substrates for EPP raw materials production	≤ 1 day	100%

*The listed ranges apply without exception to each supplier. Their length may be determined individually, depending on the geographical location of a given supplier.

- number of complaints received from the PD,
- number of defective products reported by the PD in relation to the number of delivered units – multiplied by 1,000,000 (PPM) – Target: 0 PPM.

10.3.1. Continuous improvement - supplement

There are no specific IZOBLOK's requirements for this section.



REVISION TABLE

Approval date	Revised sections	Revision change
2018-11-23	The entire document	Released
2020-08-05	10.2.5	Adding of additional requirements
2021-03-11	5.1.1.1	Adding of additional requirements
2023-04-17	10.2.6 and 10.3	Adding of additional requirements
2023-08-01	The entire document	Naming update
2024-03-19	4.3./8.3.2./8.3.4.4./10.2.3./ Table 1	Requirements update